



STEAM[®]

STEAM[®] BRANDING GUIDELINES

Revised January 4, 2017

CONTENTS

	Branding Assets	1
	General Guidelines	2
1	STEAM® SYMBOL AND LOGO	
	Hardware Application	4
	On-screen and Printed Applications	6
2	STEAM® MACHINES LOGO	
	Overview	9
	Third-party packaging	10
3	STEAMVR™ BRANDING	
	Overview	12
	SteamVR™ Logo: On-Screen and Printed Guidelines	14
	SteamVR™ Powered Logo: On-Screen and Printed Guidelines	16
	SteamVR™ Compatible Logo: On-Screen and Printed Guidelines	18
	Third Party Packaging	20
4	STEAM LINK™ BRANDING	
	Steam Link™ Logo: On-Screen and Printed Guidelines	22
	Steam Link™ Powered Logo: On-Screen and Printed Guidelines	24
	Third Party Packaging	26
5	TRADEMARK AND CONTACT INFO	28

BRANDING ASSETS

Find the correct branding assets on the below to download/use on your computer. These assets are in Adobe Illustrator (.ai) format.



STEAM[®] SYMBOL AND LOGO

[CLICK HERE](#) to save to your computer



STEAM[®] MACHINES LOGO

[CLICK HERE](#) to save to your computer



STEAMVR[™] BRANDING

[CLICK HERE](#) to save to your computer



STEAM LINK[™] BRANDING

[CLICK HERE](#) to save to your computer

Please follow these guidelines for all Steam-related hardware, software, peripherals, and supporting marketing materials with permission under contract with Valve Corporation.

GENERAL GUIDELINES

Steam branding may not be used in any manner that might imply that any non-Steam materials are sponsored, endorsed, licensed by, or affiliated with Steam. Use only Valve-approved artwork for branding.

The logos provided must stand alone and may not be combined with any object, including but not limited to other logos, words, graphics, photos, slogans, numbers, design features, or symbols.

Valve reserves the right, in its sole discretion, to modify guidelines regarding branding and may request that third parties modify or delete any use of the logo that, in Valve's sole judgment, does not comply with these guidelines or might otherwise impair Valve's rights in Steam trademarks. Valve further reserves the right to object to unfair uses or misuse of its trademarks or other violations or applicable laws.

Valve also reserves the right to approve any communication using the Steam brand before its distribution.



1 STEAM® SYMBOL AND LOGO

Hardware Application

On-screen and Printed Applications

STEAM[®] SYMBOL: Hardware Application



The Steam[®] symbol (shown to the left) is what a partner/manufacturer use for hardware/device applications. Any other application should use the Steam[®] Logo specified on Page 6. Physical alterations should not be made to the logo and it should not be combined with any other branding elements.

ACCEPTABLE METHODS OF APPLICATION

Suitable manufacturing processes for hardware logo placement include: Pad printing, silk screening, laser etching, molding, and high-quality decal. The logo must be in a single color, and should not be illuminated.

MINIMUM CLEAR SPACE AREA

The Steam symbol must always be surrounded by an area of clear, open space based on the size of the diameter of the main piston joint, as indicated below.



Main Piston Joint



Minimum Clear Space

MAXIMUM SIZE

The Steam Symbol should be manufactured at the maximum size of 20mm Ø. The Steam Symbol should not exceed the size of the partner's product branding.

MINIMUM SIZE


The Steam Symbol should be manufactured at the minimum size of 12mm \emptyset .

MOLDING

Preferable molding depth should be 0.25mm; the maximum acceptable molding depth is 1mm. Please make sure that corners (example shown below) in the logo remain sharp with a maximum diameter of 0.2mm (0.1mm radius).

If the “®” register mark is too small for clear readability in the mold, it may be omitted.

Corners should remain sharp with a maximum diameter of 0.2mm (0.1mm radius)



STEAM® LOGO: On-Screen and Printed Applications



STEAM® LOGO

The Steam® logo (shown to the left) is comprised of the Steam symbol and proprietary logotype, and should always have the ® after the Steam trademark. Physical alterations should not be made to the logo and it should not be combined with any other branding elements.

POSITIVE LOGO

For use on lighter-colored backgrounds. RGB Value is **r=0 g=0 b=0**. On 4-color environments use **c=30 m=30 y=30 m=100**. For spot color applications, use **PANTONE® Black**.

REVERSED LOGO

For use on darker-colored backgrounds. RGB Value is **r=255 g=255 b=255**. On 4-color environments use **c=0 m=0 y=0 k=0**. For spot color applications, use **opaque white ink**.



Positive logo



Reversed logo

MINIMUM CLEAR SPACE AREA

The Steam® logo must always be surrounded by an area of clear, open space based on the size of the diameter of the main piston joint, as indicated below.



MINIMUM SIZE

The height of the logo for print should be at least 12.5mm or 50 pixels for on-screen applications.

If the “®” register marks are too small for clear readability it may be omitted.

Print: 12.5mm
On-screen: 50px





2 STEAM[®] MACHINES LOGO

Overview

Third-party Packaging

STEAM[®] MACHINES LOGO: Overview



The Steam[®] Machines logo consists of the Steam symbol and proprietary logotype (left). Use this logo on packaging and marketing materials to help customers recognize that your product is a genuine Steam Machine.

Physical alterations should not be made to the logo and it should not be combined with any other branding elements.

Positive and reversed versions of the Steam Machines logo, clear space, and minimum size requirements remain the same as the Steam logo (please refer to page 6).

THIRD-PARTY PRODUCT NAMING

Please use the words “STEAM MACHINE” as part of your product name and whenever possible in paragraph form, e.g., “Alienware STEAM[®] MACHINE”, “ZOTAC NEN STEAM[®] MACHINE”, or “Abc Xyz1 STEAM[®] MACHINE”.

The words “STEAM[®] MACHINE” should always be set in all caps with a “[®]” (superscript) directly after STEAM. The text can be set in any typeface that works with your brand. Please do not change the type weight between the two words in this application. It should not try to emulate the Steam Machines logo. Please see example below.

Abc Xyz1
STEAM[®] MACHINE

STEAM® MACHINES LOGO: Third-party packaging

GENERAL GUIDELINES

The Steam® Machines logo should be used as a component brand to your product branding. Whether a part of the product name, e.g., Abc Xyz1 STEAM® MACHINE or with the approved logo artwork (as depicted below) the presence of Steam Machines should be subservient to your brand/product branding.



Steam Machines component branding should be subservient to your brand/product branding.



3 STEAMVR™ Branding

Overview

SteamVR™ Logo: On-Screen and Printed Guidelines

SteamVR™ Powered Logo: On-Screen and Printed Guidelines

SteamVR™ Compatible Logo: On-Screen and Printed Guidelines

Third Party Packaging

STEAMVR™: Branding Overview

SteamVR™ is an industry- and consumer-facing trademark signaling a quality of experience (enabling not only seated and standing but also room-scale VR with precision motion tracking) and compatibility between various VR hardware and software products and services. By association with the Steam® brand, it also signals a quality of experience as delivered by the Steam platform.



STEAMVR™

SteamVR™ Logo



SteamVR™
Powered Logo



SteamVR™
Compatible Logo

SOFTWARE PRODUCT LOGO USAGE

The **SteamVR™ logo** may be used with permission by content partners whose software and services work with SteamVR™ Powered and SteamVR™ Compatible hardware. (*See the following definitions.*)

The SteamVR™ logo is to be no larger than and no more prominent than first party brands and product names in usage.

HARDWARE PRODUCT LOGO USAGE

The **SteamVR™ Powered logo** should be used in reference to hardware which ships with or otherwise installs, and enables use of the Steam® client and the SteamVR™ Application, and leverages these along with SteamVR™ tracking technologies to deliver VR experiences.

The **SteamVR™ Compatible logo** should be used in reference to hardware which itself does not meet the requirements of a SteamVR™ Powered product yet is compatible with SteamVR™ Powered hardware and therefore SteamVR™ content.

SteamVR™ Powered and SteamVR™ Compatible logos are to be no larger than and no more prominent than first party brands and product names in usage.

SteamVR™ TRACKING TERMINOLOGY AND VERSIONING

The term **SteamVR™ Tracking** should be used on first mention when referencing the tracking technology associated with SteamVR™.*

When indicating inclusion of or compatibility with SteamVR™ Tracking, the appropriate version of the technology should be specified, for example:
“Compatible with SteamVR™ Tracking V1.0.”

There is no logo specific to SteamVR™ Tracking, as it should only be referenced in copy describing SteamVR™-related hardware, software and services.

* The term, “Lighthouse”, has been used as an informal nickname for the technology used for Steam®VR Tracking. Lighthouse should not be used in public-facing communication.

STEAMVR™ LOGO: On-Screen and Printed Guidelines



STEAMVR™ LOGO

The SteamVR™ logo (shown to the left) is comprised of the Steam symbol and proprietary logotype, and should always have the trademark “TM” after “SteamVR”. Physical alterations should not be made to the logo and it should not be combined with any other branding elements. The logo may be used with permission by content partners whose software and services work with SteamVR™ Powered and SteamVR™ Compatible hardware. The SteamVR™ logo is to be no larger than and no more prominent than first party brands and product names in usage.

POSITIVE LOGO

For use on lighter-colored backgrounds. RGB Value is **r=0 g=0 b=0**. On 4-color environments use **c=30 m=30 y=30 m=100**. For spot color applications, use **PANTONE® Black**.

REVERSED LOGO

For use on darker-colored backgrounds. RGB Value is **r=255 g=255 b=255**. On 4-color environments use **c=0 m=0 y=0 k=0**. For spot color applications, use **opaque white ink**.




Positive logo



Reversed logo

MINIMUM CLEAR SPACE AREA

The SteamVR™ logo must always be surrounded by an area of clear, open space based on the size of the diameter of the main piston joint, as indicated below.



MINIMUM SIZE

The height of the logo for print should be at least 12.5mm or 50 pixels for on-screen applications.

If the “TM” mark is too small for clear readability it may be omitted.

Print: 12.5mm
On-screen: 50px



STEAMVR™ POWERED LOGO: On-Screen and Printed Guidelines



STEAMVR™ POWERED LOGO

The SteamVR™ Powered logo (shown to the left) is comprised of the Steam trademark, proprietary logotype, enclosed in a “Powered” rectangular lockup. Physical alterations should not be made to the logo and it should not be combined with any other branding elements. The SteamVR™ Powered logo is to be no larger than and no more prominent than first party brands and product names in usage. This logo should be used in reference to hardware which ships with or otherwise installs, and enables use of the Steam® client and the SteamVR™ application, and leverages these along with SteamVR™ tracking technologies to deliver VR experiences

POSITIVE LOGO

For use on lighter-colored backgrounds. RGB Value is **r=0 g=0 b=0**. On 4-color environments use **c=30 m=30 y=30 m=100**. For spot color applications, use **PANTONE® Black**.

REVERSED LOGO

For use on darker-colored backgrounds. RGB Value is **r=255 g=255 b=255**. On 4-color environments use **c=0 m=0 y=0 k=0**. For spot color applications, use **opaque white ink**.




Positive logo



Reversed logo

MINIMUM CLEAR SPACE AREA

The SteamVR™ Powered logo must always be surrounded by an area of clear, open space based on the size of the diameter of the Steam Symbol, as indicated below.



MINIMUM SIZE

The height of the logo for print should be at least 6.75 mm or 50 pixels for on-screen applications.

If the “TM” register mark is too small for clear readability it may be omitted.

Print: 6.75mm
On-screen: 50px



STEAMVR™ COMPATIBLE LOGO: On-Screen and Printed Guidelines



STEAMVR™ COMPATIBLE LOGO

The SteamVR™ Compatible logo (shown to the left) is comprised of the Steam trademark, proprietary logotype, enclosed in a “Compatible” rectangular lockup. Physical alterations should not be made to the logo and it should not be combined with any other branding elements. The SteamVR™ Compatible logo is to be no larger than and no more prominent than first party brands and product names in usage. This logo should be used in reference to hardware which itself does not meet the requirements of a SteamVR™ Powered product yet is compatible with SteamVR™ Powered hardware and therefore SteamVR™ content.

POSITIVE LOGO

For use on lighter-colored backgrounds. RGB Value is **r=0 g=0 b=0**. On 4-color environments use **c=30 m=30 y=30 m=100**. For spot color applications, use **PANTONE® Black**.

REVERSED LOGO

For use on darker-colored backgrounds. RGB Value is **r=255 g=255 b=255**. On 4-color environments use **c=0 m=0 y=0 k=0**. For spot color applications, use **opaque white ink**.




Positive logo



Reversed logo

MINIMUM CLEAR SPACE AREA

The SteamVR™ Compatible logo must always be surrounded by an area of clear, open space based on the size of the diameter of the Steam Symbol, as indicated below.



MINIMUM SIZE

The height of the logo for print should be at least 6.75 mm or 50 pixels for on-screen applications.

If the “TM” mark is too small for clear readability it may be omitted.


Print: 6.75mm
On-screen: 50px



STEAMVR™ BRANDING: Third-party Packaging

GENERAL GUIDELINES

The **SteamVR™ Powered logo** (see p. 16) or the **SteamVR™ Compatible logo** (see p. 18) should be used as a component brand to your product branding. The presence of either logo should be subservient to your brand/product branding.



SteamVR component branding, such as the SteamVR™ Powered logo shown here, should be subservient to your brand/product branding.



4 STEAM LINK™ Branding

Steam Link™ Logo: On-Screen and Printed Guidelines

Steam Link™ Powered Logo: On-Screen and Printed Guidelines

Third Party Packaging

STEAM LINK™ LOGO: On-Screen and Printed Applications



STEAM LINK™ LOGO

The Steam Link™ logo (shown to the left) is comprised of the Steam symbol and proprietary logotype, and should always have the trademark “TM” after “Steam Link”. Physical alterations should not be made to the logo and it should not be combined with any other branding elements.

POSITIVE LOGO

For use on lighter-colored backgrounds. RGB Value is **r=0 g=0 b=0**. On 4-color environments use **c=30 m=30 y=30 m=100**. For spot color applications, use **PANTONE® Black**.

REVERSED LOGO

For use on darker-colored backgrounds. RGB Value is **r=255 g=255 b=255**. On 4-color environments use **c=0 m=0 y=0 k=0**. For spot color applications, use **opaque white ink**.




Positive logo



Reversed logo

MINIMUM CLEAR SPACE AREA

The Steam Link™ logo must always be surrounded by an area of clear, open space based on the size of the c, as indicated below.



MINIMUM SIZE

The height of the logo for print should be at least 12.5mm or 50 pixels for on-screen applications.

If the “TM” mark is too small for clear readability it may be omitted.

Print: 12.5mm
On-screen: 50px



STEAM LINK™ POWERED LOGO: On-Screen and Printed Guidelines



STEAM LINK™ POWERED LOGO

The Steam Link™ Powered logo (shown to the left) is comprised of the Steam symbol, proprietary logotype, enclosed in a “Powered” rectangular lockup. Physical alterations should not be made to the logo and it should not be combined with any other branding elements. The Steam Link™ Powered logo is to be no larger than and no more prominent than first party brands and product names in usage. This logo should be used in reference to hardware which ships with or otherwise installs, and enables use of Steam Link™ technology with the Steam® platform.

POSITIVE LOGO

For use on lighter-colored backgrounds. RGB Value is **r=0 g=0 b=0**. On 4-color environments use **c=30 m=30 y=30 m=100**. For spot color applications, use **PANTONE® Black**.

REVERSED LOGO

For use on darker-colored backgrounds. RGB Value is **r=255 g=255 b=255**. On 4-color environments use **c=0 m=0 y=0 k=0**. For spot color applications, use **opaque white ink**.




Positive logo



Reversed logo

MINIMUM CLEAR SPACE AREA

The Steam Link™ Powered logo must always be surrounded by an area of clear, open space based on the size of the diameter of the Steam Symbol, as indicated below.



MINIMUM SIZE

The height of the logo for print should be at least 6.75 mm or 50 pixels for on-screen applications.

If the “TM” register mark is too small for clear readability it may be omitted.


Print: 6.75mm
On-screen: 50px



STEAM LINK™ BRANDING: Third-party Packaging

GENERAL GUIDELINES

The **Steam Link™ Powered logo** (see p. 24) should be used as a component brand to your product branding. The presence of either logo should be subservient to your brand/product branding.



Steam Link component branding, such as the Steam Link™ Powered logo shown here, should be subservient to your brand/product branding.

5 TRADEMARK AND CONTACT INFORMATION

TRADEMARK AND CONTACT INFORMATION

Use the Steam family of logos with the “®” designation, as specified within the vector files provided by Valve. The legal attribution (below) must be used, unless a pre-approved alternative attribution is given.

LEGAL ATTRIBUTION

©2016 Valve Corporation. Steam and the Steam logo are trademarks and/or registered trademarks of Valve Corporation in the U.S. and/or other countries. All rights reserved.

CONTACT US

Please do not hesitate to contact us regarding these guidelines.

THIRD-PARTY STEAM BRANDING EMAIL:

steambranding@valvesoftware.com



©2016 Valve Corporation. Steam and the Steam logo are trademarks and/or registered trademarks of Valve Corporation in the U.S. and/or other countries. All rights reserved.